

RESULTS OF SAMPLE ANALYSIS REPORTS

TO: ZEN MAGNETS LLC
PO BOX 1744
BOULDER, CO 80306

We have completed analysis of a sample recently collected at your establishment, or the firm listed in #5 below, and the report of this analysis is as follows:

1. CPSC SAMPLE NUMBER: 16-800-2666	2. DATE SAMPLE COLLECTED 12/09/2015	3. COLLECTING INVESTIGATOR - OFFICE Michelle A. Mach CFI						
4. DESCRIPTION OF SAMPLE 432 COMPLIANCE MAGNETS MODEL NO. 432	5. ESTABLISHMENT WHERE SAMPLE COLLECTED ZEN MAGNETS LLC (RETURN ADDRESS ON SHIPMENT STATES) PO BOX 1744 BOULDER, CO 80306							
6. REASON FOR COLLECTING: To determine compliance with the following Regulation or Act. <table><tr><td>☐ FEDERAL HAZARDOUS SUBSTANCES ACT</td><td>☐ POISON PREVENTION PACKAGING ACT</td></tr><tr><td>☒ CONSUMER PRODUCT SAFETY ACT</td><td>☐ REFRIGERATOR SAFETY ACT</td></tr><tr><td>☐ FLAMMABLE FABRICS ACT</td><td></td></tr></table>			☐ FEDERAL HAZARDOUS SUBSTANCES ACT	☐ POISON PREVENTION PACKAGING ACT	☒ CONSUMER PRODUCT SAFETY ACT	☐ REFRIGERATOR SAFETY ACT	☐ FLAMMABLE FABRICS ACT	
☐ FEDERAL HAZARDOUS SUBSTANCES ACT	☐ POISON PREVENTION PACKAGING ACT							
☒ CONSUMER PRODUCT SAFETY ACT	☐ REFRIGERATOR SAFETY ACT							
☐ FLAMMABLE FABRICS ACT								
7. RESULTS OF SAMPLE ANALYSIS This sample was collected to determine compliance with the Safety Standard for Magnet Sets under Consumer Product Safety Act (CPSA). This sample appears to comply with the Safety Standard for Magnet Sets under CPSA.								
8. DATE January 07, 2016	9. SIGNATURE, TYPED NAME, TITLE Joseph G. Tsai Compliance Officer 	10. OFFICE ADDRESS U.S. CONSUMER PRODUCT SAFETY COMMISSION jtsai@cpsc.gov						

16-800-2666

sub	desc	max kG			ave kG	kG^2	dia in	r mm	area mm^2	flux index
2	ball	2.56	2.53	2.3	2.46	6.07	0.099	1.2573	4.9726	30.1736
3	ball	2.48	2.42	2.34	2.41	5.82	0.099	1.2573	4.9726	28.9612
4	ball	2.45	2.06	1.84	2.12	4.48	0.099	1.2573	4.9726	22.2575
5	ball	2.33	2.39	2.28	2.33	5.44	0.099	1.2573	4.9726	27.0729
6	ball	1.913	2.05	2.06	2.01	4.03	0.099	1.2573	4.9726	20.0165
7	ball	1.483	1.73	2.23	1.83	3.34	0.099	1.2573	4.9726	16.6284

22.9873

Flux Index



Consumer Product Safety Commission

RESULTS OF SAMPLE ANALYSIS REPORTS

TO: ZEN MAGNETS LLC
PO BOX 1744
BOULDER, CO 80306

We have completed analysis of a sample recently collected at your establishment, or the firm listed in #5 below, and the report of this analysis is as follows:

1. CPSC SAMPLE NUMBER: 16-800-2667	2. DATE SAMPLE COLLECTED 12/09/2015	3. COLLECTING INVESTIGATOR - OFFICE Michelle A. Mach CFI
4. DESCRIPTION OF SAMPLE 1728 COMPLIANCE MAGNETS MODEL NO. 432	5. ESTABLISHMENT WHERE SAMPLE COLLECTED ZEN MAGNETS LLC (RETURN ADDRESS ON SHIPMENT STATES) PO BOX 1744 BOULDER, CO 80306	
6. REASON FOR COLLECTING: To determine compliance with the following Regulation or Act. ☐ FEDERAL HAZARDOUS SUBSTANCES ACT ☐ POISON PREVENTION PACKAGING ACT ☒ CONSUMER PRODUCT SAFETY ACT ☐ REFRIGERATOR SAFETY ACT ☐ FLAMMABLE FABRICS ACT		
7. RESULTS OF SAMPLE ANALYSIS This sample was collected to determine compliance with the Safety Standard for Magnet Sets under Consumer Product Safety Act (CPSA). This sample appears to comply with the Safety Standard for Magnet Sets under CPSA.		
8. DATE January 07, 2016	9. SIGNATURE, TYPED NAME, TITLE Joseph G. Tsai Compliance Officer 	10. OFFICE ADDRESS U.S. CONSUMER PRODUCT SAFETY COMMISSION jtsai@cpsc.gov

16-800-2667

sub	desc	max kG			ave kG		kG^2	dia in	r mm	area mm^2	flux index
2	ball	2.34	2.49	2.39	2.41	5.79		0.099	1.2573	4.9726	28.8014
3	ball	2.16	2.3	2.33	2.26	5.12		0.1	1.27	5.0735	25.9901
4	ball	2.293	2.07	2.13	2.16	4.68		0.099	1.2573	4.9726	23.2932
5	ball	2.514	2.47	2.41	2.46	6.06		0.1	1.27	5.0735	30.7696

27.2136

Flux Index

